



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/925,937	08/09/2001	Kurudi H. Muralidhar	7287-000017	4932
27572	7590	01/11/2005	EXAMINER	
HARNESS, DICKEY & PIERCE, P.L.C.			ZHEN, LI B	
P.O. BOX 828			ART UNIT	
BLOOMFIELD HILLS, MI 48303			PAPER NUMBER	
			2126	

DATE MAILED: 01/11/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

09/925,937

Applicant(s)

MURALIDHAR ET AL.

Examiner

Li B. Zhen

Art Unit

2126

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on 06 August 2004.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

## Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

## Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_.
- ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date \_\_\_\_\_.
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: \_\_\_\_\_.

**DETAILED ACTION**

1. Claims 1 – 20 are pending in the current application.

***Claim Rejections - 35 USC § 112***

2. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

3. Claims 1 – 20 rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.
4. Claims 1 and 10 recite the limitation “allow cloning of said at least one of said I/O devices”. As best understood by the examiner according to the specification and claims, the claimed I/O devices are physical components [claims 9 and 20]. It is unclear as to how an object-oriented representation of a physical I/O device can allow the physical I/O device to be cloned. At best, the specification teaches cloning the object-oriented representation of the physical I/O devices [for example, see paragraph (0027) in the specification]. There does not appear to be a written description of the claimed limitation in the application as filed.

***Claim Rejections - 35 USC § 103***

Art Unit: 2126

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. **Claims 1 – 20 rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,442,442 to Weinhofer in view of U.S. Patent No. 6,466,827 to Stine.**

7. As to claim 1 [also note the 35 U.S.C. rejection above], Weinhofer teaches the invention substantially as claimed including input/output (I/O) devices [a servo drive 25, a motor 27 and a feedback sensor 29, col. 5, lines 50 – 57; a input devices 16 and a plurality of output devices 17, col. 5, lines 12 – 26] connected to a network of an industrial control system [control system 10, Fig. 1; col. 5, lines 12 – 25], comprising:

a first network [motion control axis 21-1; col. 5, lines 50 – 56];

a plurality of I/O devices connected to the first network [a servo drive 25, a motor 27 and a feedback sensor 29, col. 5, lines 50 – 57; a input devices 16 and a plurality of output devices 17, col. 5, lines 12 – 26]; and

a master computer [gear object may be used to define a master and slave axis; col. 10, lines 48 – 63] coupled to the first network and including control software [icons 114 and 116 represent motion control axes; col. 6, lines 13 – 28] with an object oriented model [col. 6, lines 39 – 50] for defining one of attributes, parameters and operations of the I/O devices [axis object 312, an adder object 314, a jog object 316, a move object

Art Unit: 2126

318, a time cam object 320, a gear object 322 and a position cam object 324, Fig. 5; col. 10, lines 3 – 13].

8. Although Weinhofer teaches the invention substantially, Weinhofer does not specifically teach cloning input/output devices.

However, Stine teaches an industrial control system [industrial control system 10, Fig. 1; col. 4, lines 57 – 60], a plurality of I/O devices connected to a network [hopper 14, auger conveyor 16 and turnhead 18 have electrical actuators and sensors for the control of their operation; col. 5, lines 1 – 5], and control software with an object oriented model for defining one of attributes, parameters and operations of the I/O devices [relay ladder object 66 for the conveyor 16 may be written using standard relay ladder language in which virtual contacts and virtual output coils are arranged as graphical elements in rungs across virtual power rails to provide the logic that would be provided by physical rungs of the same topology; col. 7, lines 46 – 62] to allow cloning of at least one of the I/O devices [relay ladder object 66 is duplicated many times; col. 7, lines 46 – 60].

9. It would have been obvious to a person of ordinary skill in the art at the time of the invention to apply the teaching of a control software with object oriented model to allow cloning input/output devices as taught by Stine to the invention of Weinhofer because this provides objects that are defined with respect to individual pieces of equipment to ensure generality for a variety of processes that use that particular piece of equipment and permits rapid program development through code reusability [col. 2, lines 18 – 23 of Stine].

10. As to claim 10 [also note the 35 U.S.C. rejection above], Weinhofer as modified teaches a system for cloning input/output (I/O) devices [relay ladder object 66 is duplicated many times; col. 7, lines 46 – 60 of Stine] connected to a network of an industrial control system [control system 10, Fig. 1, col. 5, lines 12 – 25 of Weinhofer; col. 4, lines 57 – 60 of Stine], comprising:

- a first network [motion control axis 21-1; col. 5, lines 50 – 56 of Weinhofer];

- a second network [motion control axis 21-2; col. 5, lines 50 – 56 of Weinhofer] coupled to the first network [communication network 14, Fig. 1; col. 5, lines 12 – 26 of Weinhofer];

- a first plurality of I/O devices connected to the first network [a servo drive 25, a motor 27 and a feedback sensor 29, col. 5, lines 50 – 57; a input devices 16 and a plurality of output devices 17, col. 5, lines 12 – 26 of Weinhofer];

- a second plurality of I/O devices connected to the second network [each motion control axis 21-1 and 21-2 further comprises a servo drive 25, a motor 27 and a feedback sensor 29, col. 5, lines 50 – 57 and col. 5, lines 12 – 26 of Weinhofer]; and

- a master computer [gear object may be used to define a master and slave axis; col. 10, lines 48 – 63 of Weinhofer] coupled to one of the first and second networks and including control software [icons 114 and 116 represent motion control axes, col. 6, lines 13 – 28 of Weinhofer; third icon which represents a physical relationship between the first and second motion control systems, col. 4, lines 1 – 7 of Weinhofer] with an object oriented model [col. 6, lines 39 – 50 of Weinhofer] for defining one of attributes

Art Unit: 2126

and operations of at least one of the I/O devices on one of the first and second networks [axis object 312, an adder object 314, a jog object 316, a move object 318, a time cam object 320, a gear object 322 and a position cam object 324, Fig. 5; col. 10, lines 3 – 13 of Weinhofer] to allow cloning of the at least one of the I/O devices to the other of the first and second networks [relay ladder object 66 is duplicated many times; col. 7, lines 46 – 60 of Stine].

11. As to claim 2, Weinhofer as modified teaches the object oriented model includes a hierarchical class structure with inheritance properties [col. 10, lines 4 – 12 and 19 – 25 of Weinhofer].

12. As to claim 3, Weinhofer as modified teaches the hierarchical class structure includes a device class [col. 10, lines 4 – 13 of Weinhofer].

13. As to claim 4, Weinhofer as modified teaches the device class includes a plurality of device types [col. 10, lines 3 – 13 of Weinhofer].

14. As to claim 5, Weinhofer as modified teaches the object oriented model includes at least one class level hierarchically below the device class [col. 10, lines 4 – 12 and 19 – 25 of Weinhofer; col. 2, lines 18 – 33 of Stine].

Art Unit: 2126

15. As to claim 6, Weinhofer as modified teaches devices instantiated at the at least one class level inherit the one of the attributes, parameters and operations of the at least one class level and a device type of the device class from which the at least one class level depends [Instances of the node object include an axis object 312, an adder object 314, a jog object 316, a move object 318, a time cam object 320, a gear object 322 and a position cam object 324; col. 10, lines 3 – 13 of Weinhofer].

16. As to claim 7, Weinhofer as modified teaches the device types include at least one of analog and digital devices [col. 1, lines 33 – 36 of Stine].

17. As to claim 8, Weinhofer as modified teaches the control software includes a graphical user interface for interfacing the control software and cloning the I/O devices [user program; col. 7, lines 37 – 63 of Weinhofer].

18. As to claim 9, Weinhofer as modified teaches the I/O devices include at least one of barcode readers, sensors [feedback sensor 29; col. 5, line 52 of Weinhofer], actuators, and motor starters [motion control axis 21-2 is controlled as a function of the actual position of the motor 27 of the motion control axis 21-1, as indicated by the sensor 29 for the motion control axis 21-1; col. 9, lines 22 – 34 of Weinhofer].



Art Unit: 2126

19. As to claim 18, Weinhofer as modified teaches the first and second networks are connected by a gateway [communication network 14, Fig. 1; col. 5, lines 12 – 25 of Weinhofer].

20. As to claim 19, Weinhofer as modified teaches the first and second networks are different types of networks [first and second motion control axes may be associated with two different industrial controllers that are connected to each other by a network communication link; col. 3, lines 49 – 55 of Weinhofer].

21. As to claims 11 – 17 and 20, these are rejected for the same reasons as claims 2 – 9 above.

### ***Response to Arguments***

22. Applicant's arguments with respect to the claims have been considered but are moot in view of the new ground(s) of rejection.

23. Additionally, applicant argues that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., automatically clones I/O devices including the attributes and/or operating parameters of the I/O devices, p. 5 lines 13 – 20) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993). The independent claims recites "object oriented model for defining one of

Art Unit: 2126

attributes, parameters and operations of said I/O devices to allow cloning of at least one of said I/O devices". Examiner interprets the above limitation as follows: an object oriented model for defining attributes, parameters and operations of said I/O devices provide the ability to clone the I/O devices. The capability to clone I/O devices is defined by existence of an object-oriented model representing the I/O devices. The actually process of cloning the I/O device and modifying the attributes of the devices are not claimed. However, Weinhofer as modified by Stine teaches both an object oriented model for defining attributes, parameters and operations of said I/O devices and the actually process of cloning I/O devices. Also note the 35 U.S.C. rejection above, with regards to the feature of cloning the I/O device.

### ***Conclusion***

24. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

U.S. Patent No. 6,201,996 to Crater et al. teaches object-oriented programmable industrial controller with distributed interface architecture.

25. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Li B. Zhen whose telephone number is (571) 272-3768. The examiner can normally be reached on Mon - Fri, 8:30am - 5pm.

Art Unit: 2126

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Meng-Ai An can be reached on (571) 272-3756. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Li B. Zhen  
Examiner  
Art Unit 2126

lbz

  
MENG-AI AN  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2100